

Constant Voltage LED Power Supply 24V IP67 150W



■ FEATURES:

- Universal input voltage range
- Protection: Short circuit / Over load / Over temperature
- Cooling by free air convection
- Tested under full load
- Built-in active power factor correction PFC
- IP67 may be used for internal and external applications

ELECTRICAL SPECIFICATION

MODEL		MCHQ150V24
OUTPUT	Rated voltage	24V
	Rated current	6.25A
	Current range	0 ÷ 6.25A
	Rated power	150W
	Ripple & noise (typ.)	700mV _{P-P}
	Voltage tolerance	±5%
INPUT	Voltage range	90 ÷ 264VAC
	Frequency range	47 ÷ 63Hz
	PFC	>0.95 / 230VAC full load
	Efficiency (typ.)	90%
	AC current (typ.)	1.15A / 230VAC
	Inrush current (max.)	75A / 230VAC (cold start)
	Leakage current	1mA/230VAC
PROTECTIONS	Short circuit	Type: hiccup mode, auto-recovery
	Overload	Range: 110 ÷ 160 % of the nominal
		Auto-recovery.
	Over voltage	Range: the voltage at the output terminals 26 ÷ 32VDC
		Type: hiccup mode, auto-recovery
	Over temperature	Detection of the main control circuit
		Type: hiccup mode, auto-recovery
ENVIRONMENT	Working temperature	-20°C ÷ +45°C
	Working humidity	20 ÷ 90% RH (non-condensing)
	Storage temperature and humidity	-30°C ÷ +70°C; 10 ÷ 95% RH (non-condensing)
SAFETY REGULATIONS & EMC	Safety standards	EN61347-1, EN61347-2-13
	Withstand voltage	I-O: 3.75kVAC; I-P: 3.75kVAC; O-P: 1.88kVAC
	Emission - EMI	EN55015, EN61000-3-2, EN61000-3-3
	Immunity - EMI	EN61547
OTHERS	Dimensions	217*67*42mm
	Weight	1.1kg
	current.	t 230VAC input rated load and 25°C temperature. voltage by switching taking into account changes depending on the input voltage and changes according to changes in load to the component designed for installation in the final product by qualified personnel and should not be treated as a stand-aloa

^{3.} The power supply is according to the standard EN61204 component designed for installation in the final product by qualified personnel and should not be treated as a stand-alone device. The final effect of electromagnetic compatibility is determined for the final product, the declaration of conformity is required for all installation.

MECHANICAL SPECIFICATION

